L Number	Hits	Search Text	DB	Time stamp
1	2	("5745569").PN. or (WO97/43761.PTPN.).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:59
5	31	5745569.URPN.	USPAT	2004/03/09 09:33
7	8	5745569.URPN. and @ad<19980318	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:52
9	28128	stenograph$ or cryptograph$ or "hide-in-plain-sight" or camouflag$ or watermark$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 11:02
10	3305725	encod$5 or cod$5 or embed$5 or hid$5 or conceal$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:38
11	766062	decod$5 or translat$5 or uncover$ or decipher$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:39
12	857355	key$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:39
13	11675983	first or second or one or two or pluralit$5 or numerous or many	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:40
14	6527554	data or element or information or info or messag$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:41
15	5827426	integer or number or value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:41
16	1719026	address$% or local or location ·	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:41
17	3429622	search$5 or locat$5 or find$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:42
18	7731	(stenograph$ or cryptograph$ or "hide-in-plain-sight" or camouflag$ or watermark$) with (encod$5 or cod$5 or embed$5 or hid$5 or conceal$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:42
19	154143	(first or second or one or two or pluralit$5 or numerous or many) with (data or element or information or info or messag$5) with (address$% or local or location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:45
20	34677	key$5 with (address$% or local or location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:46

21	28	((stenograph$ or cryptograph$ or "hide-in-plain-sight" or camouflag$ or watermark$) with (encod$5 or cod$5 or embed$5 or hid$5 or conceal$5)) same ((first or second or one or two or pluralit$5 or numerous or many) with (data or element or information or info or messag$5) with (address$% or local or location)) same (key$5 with (address$% or local or location))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:46
22	7	(((stenograph$ or cryptograph$ or "hide-in-plain-sight" or camouflag$ or watermark$) with (encod$5 or cod$5 or embed$5 or hid$5 or conceal$5)) same ((first or second or one or two or pluralit$5 or numerous or many) with (data or element or information or info or messag$5) with (address$% or local or location)) same (key$5 with (address$% or local or location))) and @ad<19980318	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:46
23	82	stenographic.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:52
24	60	stenographic.ab. and @ad<19980318	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:54
25	4	(stenographic.ab. and @ad<19980318) and (data and second and search$ and encod$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 09:55
26	25	4566065.URPN.	USPAT	2004/03/09 09:54
27	20	4566065.URPN. and @ad<19980318	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 11:00
29	2	"CRYPTOGRAPHIC METHODS, APPARATUS AND SYSTEMS"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 10:59
30	0	20010042043.URPN.	USPAT	2004/03/09 10:03
31	0	9743761.URPN.	USPAT	2004/03/09 10:03
32	2	("5613004").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 10:59
33	152	5613004.URPN.	USPAT	2004/03/09 11:00
34	49	5613004.URPN. and @ad<19980318	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 11:00
35	49	(5613004.URPN. and @ad<19980318) and (stenograph$ or cryptograph$ or "hide-in-plain-sight" or camouflag$ or watermark$ or data or second or search$ or encod$ or cod$5 or embed$5 or hid$5 or conceal$5 decod$5 or translat$5 or uncover$ or decipher$ oraddress$% or local or location or search$5 or locat$5 or find$5 first or second or one or two or pluralit$5 or numerous or many or data or element or information or info or messag$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 11:06

| 36 | | 23 | ((5613004.URPN. and @ad<19980318) and (stenograph$ or cryptograph$ or "hide-in-plain-sight" or camouflag$ or watermark$ or data or second or search$ or encod$ or cod$5 or embed$5 or hid$5 or conceal$5 decod$5 or translat$5 or uncover$ or decipher$ oraddress$% or local or location or search$5 or locat$5 or find$5 first or second or one or two or pluralit$5 or numerous or many or data or element or information or info or messag$5)) and method and encoding and address$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/09 11:07 |

L Number	Hits	Search Text	DB	Time stamp
1	1437894	stenograph$ or cryptograph$ or "hide-in-plain-sight" or camouflag$ or watermark$ or hid$5 or mask$ or embed$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:46
2	6658787	primary or main or first or highest or principal or essential	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:06
3	7573409	secondary or alternative or second or relat$5 or lesser or deriv$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:07
4	7858299	data or element or information or info or messag$5 or value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:07
5	3614527	search$ or find$ or locat$ or examin$ or scrutiniz$ or evaluat or determin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:08
6	5768352	match$5 or counterpart or like or resembl$ or correspond$ or harmoniz$ or fit$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:09
7	1004068	key or mask	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:09
9	6687946	address$% or local or location or place or bit or site or point or frame or row or column or spot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:10
10	9991154	generat$ or deriv$5 or mak$5 or fabricat$5 or assign$5 or determin$5 or calculat$5 or build$5 or design$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:13
11	30277	(primary or main or first or highest or principal or essential) with (secondary or alternative or second or relat$5 or lesser or deriv$5) with (match$5 or counterpart or like or resembl$ or correspond$ or harmoniz$ or fit$5) with (search$ or find$ or locat$ or examin$ or scrutiniz$ or evaluat or determin)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:17
12	241817	(key or mask) with (generat$ or deriv$5 or mak$5 or fabricat$5 or assign$5 or determin$5 or calculat$5 or build$5 or design$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:19
13	891418	(primary or main or first or highest or principal or essential) with (secondary or alternative or second or relat$5 or lesser or deriv$5) with (data or element or information or info or messag$5 or .value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:28
14	185382	(primary or main or first or highest or principal or essential) with (secondary or alternative or second or relat$5 or lesser or deriv$5) with (data or element or information or info or messag$5 or value) with (address$% or local or location or place or bit or site or point or frame or row or column or spot)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:38

15	11144	(stenograph$ or cryptograph$ or "hide-in-plain-sight" or camouflag$ or watermark$ or hid$5 or mask$ or embed$5) and ((key or mask) with (generat$ or deriv$5 or mak$5 or fabricat$5 or assign$5 or determin$5 or calculat$5 or build$5 or design$5)) and ((primary or main or first or highest or principal or essential) with (secondary or alternative or second or relat$5 or lesser or deriv$5) with (data or element or information or info or messag$5 or value) with (address$% or local or location or place or bit or site or point or frame or row or column or spot))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:45
16	5793	((stenograph$ or cryptograph$ or "hide-in-plain-sight" or camouflag$ or watermark$ or hid$5 or mask$ or embed$5) and ((key or mask) with (generat$ or deriv$5 or mak$5 or fabricat$5 or assign$5 or determin$5 or calculat$5 or build$5 or design$5)) and ((primary or main or first or highest or principal or essential) with (secondary or alternative or second or relat$5 or lesser or deriv$5) with (data or element or information or info or messag$5 or value) with (address$% or local or location or place or bit or site or point or frame or row or column or spot))) and @ad<19980318	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:46
17	19	stenograph$ and (((stenograph$ or cryptograph$ or "hide-in-plain-sight" or camouflag$ or watermark$ or hid$5 or mask$ or embed$5) and ((key or mask) with (generat$ or deriv$5 or mak$5 or fabricat$5 or assign$5 or determin$5 or calculat$5 or build$5 or design$5)) and ((primary or main or first or highest or principal or essential) with (secondary or alternative or second or relat$5 or lesser or deriv$5) with (data or element or information or info or messag$5 or value) with (address$% or local or location or place or bit or site or point or frame or row or column or spot))) and @ad<19980318)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:55
18	52	(((stenograph$ or cryptograph$ or "hide-in-plain-sight" or camouflag$ or watermark$ or hid$5 or mask$ or embed$5) and ((key or mask) with (generat$ or deriv$5 or mak$5 or fabricat$5 or assign$5 or determin$5 or calculat$5 or build$5 or design$5)) and ((primary or main or first or highest or principal or essential) with (secondary or alternative or second or relat$5 or lesser or deriv$5) with (data or element or information or info or messag$5 or value) with (address$% or local or location or place or bit or site or point or frame or row or column or spot))) and @ad<19980318) and match$5 and data and (primary or first) and second and (stenograph$ or watermark$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:58